

| | Type | Hits | Search Text |
|----|------|------|--|
| 1 | BRS | 5630 | clamp near hose |
| 2 | BRS | 0 | (clamp near hose) and (unlimited adj rotation\$2) |
| 3 | BRS | 55 | (clamp near hose) and ("360" adj degree) |
| 4 | BRS | 15 | (clamp near hose) and ("360" adj degree) and locking |
| 5 | BRS | 0 | (clamp near hose) and (horizontally adj rotati\$4) and (lock\$2 or unlock\$3) |
| 6 | BRS | 1 | (clamp near hose) and (horizontally adj rotat\$4) and (lock\$2 or unlock\$3) |
| 7 | BRS | 23 | (clamp near hose) and rotat\$3 and unlimited |
| 8 | BRS | 5219 | hose adj clamp |
| 9 | BRS | 177 | (hose adj clamp) with rotat\$5 |
| 10 | BRS | 1 | ((hose adj clamp) with rotat\$5) and unlimited |
| 11 | BRS | 4 | ((hose adj clamp) with rotat\$5) and (horizontal\$2 or vertical\$2) and "360" |
| 12 | BRS | 56 | ((hose adj clamp) with rotat\$5) and (horizontal\$2 or vertical\$2) |
| 13 | BRS | 71 | hose adj clamp same fire |
| 14 | BRS | 16 | hose adj clamp same fire and locking |
| 15 | BRS | 1 | 2001-080937.NRAN. |
| 16 | BRS | 0 | "200102057".URPN. |
| 17 | BRS | 5 | ("1219968" "1577607" "1583772" "1719863" "3129970").PN. |

| | Type | Hits | Search Text |
|----|------|--------|--|
| 18 | BRS | 5 | "1583772".URPN. |
| 19 | BRS | 2 | "3603539".URPN. |
| 20 | BRS | 11 | ("0180007" "1085084" "1339885" "1425067" "1667342" "1767280" "1775846" "1809550" "2747823" "3198465" "3603539").PN. |
| 21 | BRS | 2 | "3603539".URPN. |
| 22 | IS&R | 24 | (248/77).CCLS. |
| 23 | BRS | 10788 | (fire adj hose) or (hose adj clamp) or (nozzle adj holder) |
| 24 | BRS | 7381 | (fire adj hose) or (hose adj clamp) or (nozzle adj holder) and ("360" adj degree) |
| 25 | BRS | 7357 | (fire adj hose) or (hose adj clamp) or (nozzle adj holder) and ("360" adj degree) and unlimited |
| 26 | BRS | 518696 | (fire adj hose) or (hose adj clamp) or (nozzle adj holder) and ("360" adj degree) and unlimited nd rotational |
| 27 | IS&R | 166 | (248/231.51).CCLS. |
| 28 | IS&R | 80 | (403/257).CCLS. |
| 29 | BRS | 0 | ((hose adj clamp) or (nozzle adj holder) or (fire adj hose)) and (clamp adj holder) and "269"/\$.ccls. |
| 30 | BRS | 32 | ((hose adj clamp) or (nozzle adj holder) or (fire adj hose)) and "269"/\$.ccls. |
| 31 | BRS | 6 | (Pipe adj holder) and "269"/\$.ccls. |
| 32 | BRS | 34818 | azimuth |

| | Type | Hits | Search Text |
|----|------|-------|---|
| 33 | BRS | 28 | azimuth same (locking adj mechanism) |
| 34 | BRS | 14699 | A62C 33/04.IPC. |
| 35 | BRS | 0 | (A62C 33/04.IPC.) same (hose or pipe or nozzle) same firefighting |
| 36 | BRS | 0 | (A62C 33/04.IPC.) same (hose or pipe or nozzle) |
| 37 | BRS | 3344 | (A62C 33/04.IPC.) and (hose or pipe or nozzle) |
| 38 | BRS | 80 | (A62C 33/04.IPC.) and (hose or pipe or nozzle) and pin |
| 39 | BRS | 15 | (A62C 33/04.IPC.) and (hose or pipe or nozzle) and pin and rotat\$5 |
| 40 | BRS | 14 | ("2604163" "2775317" "2965200" "2971437" "2998868" "3069783" "3123330" "3180603" "3236153" "3241642" "3389637" "3489087" "3552699" "3568328").PN. |
| 41 | IS&R | 189 | (269/54.1).CCLS. |
| 42 | IS&R | 533 | (269/58).CCLS. |
| 43 | IS&R | 180 | (269/74).CCLS. |
| 44 | IS&R | 184 | (269/75).CCLS. |

| | Type | Hits | Search Text |
|----|------|------|--|
| 45 | BRS | 77 | ("0229670" "0230826" "0320436" "0377114" "0490150" "0659532" "0688230" "0746360" "1468110" "1472566" "1494033" "1543037" "1590227" "1929807" "1940258" "1955226" "1986149" "2081749" "2141945" "2168988" "2188514" "2198623" "2212156" "2295051" "2381657" "2452406" "2469542" "2499136" "2651026" "2769895" "2776168" "2791623" "2825601" "2858522" "3055398" "3146982" "RE26011" "3539234" "3568959" "3613904" "3664654" "3677584" "D230826" "3920295" "3975068" "4036289" "4270250" "4275872" "4307864" "4355922" "4382572" "4480497" "4495834" "4515336" "D296546" "4805938" "4941481" "4957318" "5016850" "5069433" "5123547" "5125632" "RE34120" "5192058" "5222854" "5261715" "5271651" "5299847" "5377939" "5452981" "5492443" "5516173" "5632588" "5647625" "5660363" "5941513" "5992802").PN. |
| 46 | IS&R | 19 | (248/84).CCLS. |
| 47 | BRS | 1 | ((fire near apparatus) or (hose near clamp) or (fire near nozzle)) and (unlimited near rotation) |

| | Type | Hits | Search Text |
|----|------|-------|---|
| 48 | BRS | 45776 | ((fire near apparatus) or (hose near clamp) or (fire near nozzle)) and (unlimited near rotation) or (any near direction) |
| 49 | BRS | 130 | ((fire near apparatus) or (hose near clamp) or (fire near nozzle)) and ((unlimited near rotation) or (any near direction)) |
| 50 | BRS | 56 | ((fire near apparatus) or (hose near clamp) or (fire near nozzle)) and ((unlimited near rotation) or (any near direction)) and lock\$3 |
| 51 | BRS | 29 | ((fire near apparatus) or (hose near clamp) or (fire near nozzle)) and ((unlimited near rotation) or (any near direction)) and lock\$3 and handle |
| 52 | BRS | 22 | ("0810315" "0929953" "1119774" "1402912" "1737793" "1865462" "2522127" "2525037" "2641490" "2746773" "3199898" "3432191" "3785413" "3881510" "4457349" "4575130" "4770317" "5042850" "5535984" "5664951" "5791694" "5873387").PN. |
| 53 | BRS | 9 | ("2478586" "2621061" "2641490" "2770474" "3195934" "3439942" "4295670" "4802694" "4871195").PN. |
| 54 | BRS | 0 | ((fire near apparatus) or (hose near clamp) or (fire near nozzle)) and ((unlimited near rotation) or (any near direction)) and handrail and handle |

| | Type | Hits | Search Text |
|----|------|------|---|
| 71 | BRS | 11 | ((US-4219971-\$ or US-4233781-\$ or US-4314598-\$ or US-4487242-\$ or US-4555869-\$ or US-4662108-\$ or US-4831778-\$ or US-4982530-\$ or US-5321911-\$ or US-5379824-\$ or US-3808742-\$ or US-3837118-\$ or US-3908730-\$ or US-4057937-\$ or US-4074483-\$ or US-4083148-\$ or US-4186522-\$).did.) and screen |
| 72 | IS&R | 2 | ("3976428").PN. |
| 73 | IS&R | 2 | ("3967428").PN. |
| 74 | BRS | 4 | ("0473716" "1476810" "2692712" "3429535").PN. |
| 75 | BRS | 3 | D264010.URPN. |
| 76 | IS&R | 406 | (248/75).CCLS. |
| 77 | BRS | 0 | "410100".URPN. |
| 78 | IS&R | 41 | (248/82).CCLS. |
| 79 | IS&R | 114 | (248/79).CCLS. |
| 80 | IS&R | 83 | (248/80).CCLS. |
| 81 | IS&R | 69 | (248/89).CCLS. |
| 82 | BRS | 6 | ("1189970" "1327428" "1512581" "2873999" "2966311" "3404410").PN. |
| 83 | IS&R | 2 | ("5313756").PN. |

| | Type | Hits | Search Text |
|-----|------|------|---|
| 100 | BRS | 240 | 285/312 |
| 101 | BRS | 148 | S205 and lock |
| 102 | BRS | 18 | S205 and lock with handle |
| 103 | BRS | 9 | ("0113869" "0408116" "0410552" "2490316" "4898287").PN. |
| 104 | BRS | 7 | ("5284366").URPN. |
| 105 | BRS | 9 | ("1382783" "4370091" "4402481" "4898490" "5071309" "5284366" "5746567" "5921694").PN. |
| 106 | BRS | 0 | ("6540188").URPN. |
| 107 | BRS | 8454 | hose adj coupling |
| 108 | BRS | 97 | S212 and quick-disconnect |
| 109 | BRS | 110 | S212 and ((fire adj hose) adj coupling) |
| 110 | BRS | 5 | S212 and ((fire adj hose) adj coupling) with lock |
| 111 | BRS | 17 | ("0708104" "0726077" "0734414" "1080675" "1200266" "1858992" "2277399" "3153548" "3807774").PN. |
| 112 | BRS | 2 | ("3153548").URPN. |

| | Type | Hits | Search Text |
|-----|------|--------|---|
| 113 | BRS | 142806 | 285/87 or "285"/(311-312) |
| 114 | BRS | 238 | 285/87 or 285/311-312 |
| 115 | BRS | 5 | S219 and coupling and lock with (pin and handle) |
| 116 | BRS | 14 | ("0808219" "1080675" "1613644" "2253628" "2286263" "2324792" "3124374").PN. |
| 117 | BRS | 17 | (fire adj hose) same (coupling adj device) |
| 118 | BRS | 17 | (fire adj hose) same (lock with pin) |
| 119 | BRS | 141 | (fire adj hose) same lock |
| 120 | BRS | 681 | 248/75 or 248/79 |
| 121 | BRS | 115 | S225 and lock |
| 122 | BRS | 18 | S225 and lock and handle and pin |
| 123 | BRS | 7 | ("2806237" "3062227" "3642013" "3819137" "3899149").PN. |
| 124 | BRS | 12 | ("4054149").URPN. |
| 125 | BRS | 46 | S225 and lock and handle |

| | Type | Hits | Search Text |
|-----|------|--------|---|
| 126 | BRS | 16 | ("0499933" "0661677" "1197549" "2064919" "2622837" "2825525" "4497092" "5351932" "5433405" "D360128").PN. |
| 127 | BRS | 7 | ("499933").URPN. |
| 128 | BRS | 27 | (takahisa with tanaka).inv. |
| 129 | BRS | 2 | S233 and (cup adj holder) |
| 130 | BRS | 1 | S234 and cutaway |
| 131 | BRS | 0 | 248/75-81 |
| 132 | BRS | 365939 | "248"/(75-81) |
| 133 | BRS | 367054 | "248"/(89-92) |
| 134 | BRS | 134 | 248/229.13 |

| | Type | Hits | Search Text |
|------------|-------------|-------------|--|
| 135 | BRS | 175 | (hose or nozzle) with stand and clamp and pivot and rotat\$4 |
| 136 | BRS | 122 | S237 and S238 and S239 |
| 137 | BRS | 223 | (hose or nozzle) with stand and clamp and pivot |
| 138 | BRS | 251 | (hose or nozzle) with (stand or cradle) and clamp and pivot and rotat\$4 |
| 139 | BRS | 146 | S243 and adjustable |
| 140 | BRS | 32 | S244 and S237 |
| 141 | BRS | 1601 | 285/81 or 285/87 or 285/91 or 285/184 |
| 142 | BRS | 32 | S244 and S238 |

| | Type | Hits | Search Text |
|-----|------|-------|--|
| 146 | BRS | 14 | ((hose or nozzle) near holder) and stand and clamp and lock and rotat\$4 |
| 147 | BRS | 67021 | hose and (nozzle or (fire adj nozzle)) |
| 148 | BRS | 2455 | \$254 and clamp |
| 149 | BRS | 32133 | \$252 and (tripod or support or stand) |
| 150 | BRS | 7647 | \$253 and rotat\$4 and lock\$3 |
| 151 | BRS | 532 | \$254 and clamp and holder |
| 152 | BRS | 4 | \$256 and "285"/\$.ccls. |
| 153 | BRS | 19 | \$256 and "248"/\$.ccls. |